

COMPLETE DOOR SYSTEM DATASHEET SECLUSION High Strength Door System

The SECLUSION door system provides our most robust solution for areas where patients are required to be isolated in a safe environment. SECLUSION benefits from a heavy duty multipoint locking system with a slam lock feature to support staff in challenging scenarios, and has no visible fixings on the inside to improve patient safety.



Terms and conditions:

To see our full terms and conditions, please visit: kingswaygroupglobal.com/en-us/terms





COMPLETE DOOR SYSTEM DATASHEET SECLUSION Technical Specifications

Technical Specs

Leaf Thickness:

• 1 ³/4"

Core Structure:

 14ga Steel-Stiffened Hollow Metal Door Core (contact KG for additional options)

Maximum Opening Dimensions:

• 48" (W) x 84" (H)

Frame Types Available:

• Complete Doorset with fully welded 12ga Hollow Metal Frame

Security Features:

- KG111 High strength stainless steel continuous hinge
- KG165 Secure Tray Hatch (optional)

Lockset Options:

- SM01 SureLock McGill 3-point lock (standard)
- SM03 SureLock McGill 4-point lock
- Other options available on request (contact KG for more info)

Vision Panel Options:

- Duralux Series Privacy Vision Panels (mechanical)
- Duralux Platinum Series Privacy Vision Panels (electronic)
- Pyrolux Series Clear-Glaze Vision Panels
- No Vision Panel

Available Finishes:

• HM Steel Stiffened, 14ga, Primed Gray (for final painting on site)

Robustness Testing:

 Tested to the Department of Health Medium Secure Testing guidelines (view guide <u>here</u>)

Product Code:

• SEC02 (Single action 1 ³/₄" door leaf)



3-Year Manufacturer Defect Guarantee as per 'Kingsway Group Product Guarantee' document, a copy of which is available upon request.



Your Partner in Patient Safety

The best ideas always start as conversations

1521 E Avis Dr, Madison Heights, MI 48071 United States

1-800-783-7980 sales@kingswaygroupusa.com

kingswaygroupglobal.com