

PRODUCT DATASHEET

Pyrolux Vision Panels

Pyrolux clear glazed vision panels are designed for safe, high-strength performance in secure healthcare environments. The highly robust panels combine two layers of Trident 19mm attack-resistant glazing securely sealed between bolt-fixed stainless steel fascias. Pyrolux panels are available in 5 different sizes.



Terms and conditions:

To see our full terms and conditions, please visit:
kingswaygroupglobal.com/en-au/terms

Maintenance and Cleaning

Maintenance

Periodic checks should be made to the screws to ensure they are all tight and that they have not been tampered with.

Cleaning

Cleaning of vision panels should be done with caution as they should not come into contact with liquids of any kind. Where cleaning is required, use a damp cloth and a mild (non-abrasive) detergent if needed.

Warranty

1 Year Manufacturer's Defect Warranty*


*For faulty manufacture and not for damage

NBS Specification

Typical description would read: P5020
Pyrolux Vision Panel 500 x 200mm
44mm Door


Door Core Types

44mm Door Core



Trident 19mm Glass
2mm Intumescent Spacers
2mm Intumescent Liner
Bolt Fixed Stainless Steel Fascia

54mm Door Core



Trident 19mm Glass
2mm Intumescent Spacers
2mm Intumescent Liner
Bolt Fixed Stainless Steel Fascia
10 x 10mm Stainless Steel
Spacing Frame

VARIATIONS AND DESIGN OPTIONS

Pyrolux Vision Panels

Variations

The Pyrolux vision panel is available in the following formats:

P5020 - Pyrolux vision panel 500 x 200mm 44m door Stainless Steel Bead

P5025 - Pyrolux vision panel 500 x 200mm 54m door Stainless Steel Bead

P5050 - Pyrolux vision panel 500 x 500mm 44m door Stainless Steel Bead

P5055 - Pyrolux vision panel 500 x 500mm 54m door Stainless Steel Bead

P8020 - Pyrolux vision panel 800 x 200mm 44m door Stainless Steel Bead

P8025 - Pyrolux vision panel 800 x 200mm 54m door Stainless Steel Bead

P8050 - Pyrolux vision panel 800 x 500mm 44m door Stainless Steel Bead

P8055 - Pyrolux vision panel 800 x 500mm 54m door Stainless Steel Bead

P1330 - Pyrolux vision panel 1300 x 250mm 44m door Stainless Steel Bead

P1335 - Pyrolux vision panel 1300 x 250mm 54m door Stainless Steel Bead

P5020TB - Pyrolux vision panel 500 x 200mm 44mm door Timber Bead

P5025TB - Pyrolux vision panel 500 x 200mm 54mm door Timber Bead

P5050TB - Pyrolux vision panel 500 x 500mm 44mm door Timber Bead

P5055TB - Pyrolux vision panel 500 x 500mm 54mm door Timber Bead

P8020TB - Pyrolux vision panel 800 x 200mm 44mm door Timber Bead

P8025TB - Pyrolux vision panel 800 x 200mm 54mm door Timber Bead

P8050TB - Pyrolux vision panel 800 x 500mm 44mm door Timber Bead

P8055TB - Pyrolux vision panel 800 x 500mm 54mm door Timber Bead

P1330TB - Pyrolux vision panel 1300 x 250mm 44mm door Timber Bead

P1335TB - Pyrolux vision panel 1300 x 250mm 44mm door Timber Bead



Design Options

Wrapped fascia, wood effect - add 'W' to end of the product code


Powder coated finish - add 'PC' to the end of the product code

Terms and conditions:

To see our full terms and conditions, please visit: kingswaygroupglobal.com/en-au/terms

PRODUCT DIAGRAM

Pyrolux Vision Panels



Part Number	Door Thickness	DimA	DimB	DimC	DimD	DimE	DimF
P5020	44	516	216	430	130	394	94
P5025	54	516	216	430	130	394	94
P5050	44	516	516	430	430	394	394
P5055	54	516	516	430	430	394	394
P8020	44	816	216	730	130	694	94
P8025	54	816	216	730	130	694	94
P8050	44	816	516	730	430	694	394
P8055	54	816	516	730	430	694	394
P1330	44	1386	336	1300	250	1264	214
P1335	54	1386	336	1300	250	1264	214

Terms and conditions:

To see our full terms and conditions, please visit: kingswaygroupglobal.com/en-au/terms